

**GUARANTEED AND OTHER TECHNICAL PARTICULARS FOR 11
KV POLYMERIC DISC INSULATOR 45KN (B&C TYPE)**

Sr.No.	Description	Unit	
1.	Type of insulators		
2.	Standard according to which the insulators manufactured and tested		
3.	Name of material used in manufacture of the insulators with class/grade		
a)	Material of core (FRP rod) i) E-glass or ECR-glass ii) Boron content		
b)	Material of housing & weather sheds (silicon content by weight)		
c)	Material of end fittings		
d)	Sealing compound for end fittings		
4	Colour		
5	Electrical characteristics:		
a)	Nominal system voltage	KV(rms)	
b)	Highest system voltage	KV(rms)	
c)	Dry Power frequency withstand voltage	KV(rms)	
d)	Wet power frequency withstand voltage	KV(rms)	
e)	Dry flash over voltage	KV(rms)	
f)	Wet flash over voltage	KV(rms)	
g)	Dry lightning impulse withstand voltage a) positive b) Negative	KV(peak) KV(peak)	
h)	Dry lightning impulse flash over voltage a) Positive b) Negative	KV(peak) KV(peak)	
i)	RIV at 1 MHz when energized at 10 KV(rms) under dry condition	Microvolt	
j)	Creepage distance (Min.)	mm	
6	Mechanical characteristics		
a)	Minimum failing load	KN	
7	Dimensions of insulator		
i)	Weight	Kg	
ii)	Dia. of FRP rod	mm	
iii)	Length of FRP rod	mm	
iv)	Dia. of weather sheds	mm	
v)	Thickness of housing	mm	
vi)	Dry arc distance	mm	
	Dimensioned drawings of insulator (including weight with tolerance in weight) enclosed	Yes/No	
8	Method of fixing of shed to housing (specify): Single mould or modular construction (injection moulding / compression moulding)		
9	No. of weather sheds		

10	Type of sheds		
i)	Aerodynamic		
ii)	With underribs		
11	Packing details		
	a) Type of packing		
	b) No. of insulators in each pack		
	c) Gross weight of package		
12	Any other particulars which the bidder may like to furnish		

Dated.

Authorized Signatory

Name:

Designation:

Address and Seal of the firm

